INDEX TO VOLUME 10

[New names in **bold-face** type]

A

Aceratherium mite, 63.
Adams C. C., Predatory mammal control work of the U. S. Biological Survey, 275.
Aenocyon, 286.
Aenomys hypoxanthus, 231.
Allolagus, 342.
Alopex pribilofensis, 157.
ant-eater, two-toed, 314.
antelope, 83.
prong-horned, 286.
Antilocapra, 286.
Archaeolagus, 341.
Arvicanthis mordax, 231.
rufinus, 231.
Atelerix spiculus, 231.
spinifex, 231.

B

badger, 83, 156.
Bailey, B., Mammals of Sherburne County, Minnesota, 153.
bat, big brown, 84, 320.
hoary, 155.
LeConte's free-tailed, 204.
little brown, 155, 242, 247, 320.
Rafinesque's, 204.
red, 155.
silver-haired, 155.
Trouessart's, 155.
Trouessart's little brown, 243.
bear, black, 149, 155, 247.
Florida, 84.
beaver, 142, 161, 255.
Colorado River, 359.
golden, 359.
Berardius bairdii, 357.
Bergtold, W. H., Bison in Colorado, 170.
bison, 170.
Bison bison, 164.
Blarina brevicauda, 78, 125, 155, 247.
carolinensis, 259.
talpoides, 242, 250.
bobcat, 158.
Brachylagus, 343.
browni, 343.
Bradley, R. M., Habits and distribution of the rock squirrel in southern New Mexico, 168.
Breckenridge, W. J., Actions of the pocket gopher (Geomys bursarius), 336.
buffalo, 164, 170, 295.
Bullock, D. S., Stones from the stomach of a guanaco, 170.
Burt, W. H., A correction, 85.

C

Caenopus dakotensis, 67.
mitis, 66.
pumilus, 72.
Canis **baileyi, 165.**
latrans, 157.
lestes, 255.
lycaon, 158.
nubilus, 166.
rufus, 166.
Caprolagus, 343.
Capromeryx, 286.
caribou, 353.
Castor canadensis, 161.
frondator, 359.
subauratus, 359.
cat, Florida wild, 84.
sabre-tooth, 282.
wild, 150, 158, 247.
Cervus canadensis, 164.

Chamberlain, E. B., Behavior of the least shrew, 250.
chimpanzee, 37.
chipmunk, 248.
Fisher's, 151.
gray, 159.
gray eastern, 245.
southeastern, 84.
Citellus franklinii, 158.
gradojevici, 76.
grammurus, 168.
tridecemlineatus, 158.
civet, 156.
Clethrionomys, 116, 292.
gapperi, 243, 248.
loringi, 162.
Coleman, R. H., Opossum in the lower Hudson Valley, New York, 250; Reithrodontomys humulis from the type locality, 257.
Colonoceras, 73.
comment and news, 94, 186, 280, 371.
Condylura cristata, 77, 154, 241, 246, 311.
Cook, H. J., An extra rib in a miocene artiodactyl from Nebraska, 257; Occurrence of a true fourth molar in a modern horse, 82.
correspondence, 275, 370.
cottontail, 249.
Mearns', 164.
Couch, L. K., Introduced European rabbits in the San Juan Islands, Washington, 334.
coyote, 83, 157, 255, 291.
Cricetomys buchanani, 231.
emini, 231.
Crocidura manni, 231.
Cryptotis parva, 79, 250.
Cyclopes dorsalis, 314.
Cynomys leucurus, 209.
zuniensis, 260.

D

Dasypus kappleri, 258.
potasae, 258.
Davidson, M. E. McLellan, Baird's beaked whale at Santa Cruz, California, 356.
deer, 83.
mule, 102.
northern white-tailed, 144, 164.
red, 59.
Virginia, 85, 247.
white-tailed, 101.
Delphinapterus leucas, 171.
Desmatolagus, 344.
Diacodon puercensis, 171.
Dice, L. R., An attempt to breed cottontail rabbits in captivity, 225; A new laboratory cage for small mammals, with notes on methods of rearing Peromyscus, 116; The phylogeny of the Leporidae, with description of new genus, 340.
Diceratherium armatum, 73.
niobrarense, 74.
Didelphis virginiana, 167, 168, 250, 259, 351.
Dipodomys deserti, 299.
longipes, 250.
Dixon, J., Artificial distribution of fur-bearing mammals, 358; The breeding season of the pocket gopher in California, 327.
dog, Papuan, 329.
Douglass, E., A change of name for Mustela minor Douglass, 168.

E

Echinosorex, 310.
Eggysodon osborni, 71.
reichenaui, 72.
Eifrig, C. W. G., The word mammalogy, 370; Walther Frederick Henninger, 260.
elg, 59.
elk, American, 164.
Eotrigonias rhinocerinus, 63.
Eptesicus fuscus, 84, 320.
Erethizon dorsatum, 152, 163, 245, 249.
Euarctos americanus, 149, 155, 247.
floridanus, 84.
Eumetopias jubata, 1.
stelleri, 1.
Euxerus maestus, 231.
Evotomys (see Clethrionomys).

F

Fargo, W. G., Bats of Indian Key, Florida, 203.
Felis arundivaga, 346.
atrox, 286.
azteca, 347.
bangsi, 347.
browni, 347.
californica, 347.
concolor, 345.
coryi, 346.
costaricensis, 347.
couguar, 347.
hippolestes, 347.
improcera, 347.
incarum, 347.
mayensis, 350.
olympus, 346.
oregonensis, 346.
osgoodi, 348.
patagonica, 346.
pearsoni, 346.
puma, 345.
söderströmii, 345.
wavula, 347.
fisher, 149.
fox, blue, 157.
gray, 150.
kit, 289.
red, 142, 150, 247.
Wisconsin gray, 157.
yellow red, 157.
Fox, H., The birth of two anthropoid apes, 37.
Funisciurus anerythrus, 231.
oliviae, 231.

G

Galemys, 308.
Gander, F. F., Experiences with wood rats, Neotoma fuscipes macrotis, 52.
general notes, 77, 167, 250, 351.
Geomys breviceps, 259.
bursarius, 160, 336.
floridanus, 258.
Glaucomys macrotis, 160.
sabrinus, 246.
texensis, 259.
volans, 159, 248.
goat, 83.
Goodwin, G. G., An unusually long-tailed white-footed mouse, 352; Mammals of Cascapedia Valley, Quebec, 239.
gopher, Mississippi Valley pocket, 160.
pocket, 80, 327, 336.
Graham, S. A., The larch sawfly as an indicator of mouse abundance, 189.
Grant, M., and H. E. Anthony, Report of the J. A. Allen Memorial Committee, 93.
Gregory, T., A weasel fires the flash, 221; Camera trapping in the snow, 143; Snowshoes in winter, 290.
Gregory, T., and C. C. Sanborn, The least weasel, Mustela allegheniensis, in Illinois, 251.
Grinnell, G. B., Eagles' prey, 83; Pronghorn antelope, 135.
guanaco, 170.

H

Hall, E. R., California mink in a marine habitat, 351.
Hall, E. R., and J. M. Linsdale, Notes on the life history of the kangaroo mouse (Microdipodops), 298.
Hamilton, W. J., Jr., Breeding habits of the short-tailed shrew, Blarina brevicauda, 125.
hare, European, 152, 170.
Nova Scotia varying, 246.
varying, 163, 249, 290.
Harper, F., Mammal notes from Randolph County, Georgia, 84.
Hartman, C. G., Some excessively large litters of eggs liberated at a single ovulation in mammals, 197.
Hatt, R. T., Death of G. F. Gaumer, 359.
Heliosciurus isabellinus, 231.
hippopotamus, 296.
Holt, E. G., Midwinter record of the woodchuck in western Pennsylvania, 80.
horse, 82.
Howell, A. B., Eleventh annual meeting of the American Society of Mammalogists, 182.

Howell, A. H., Description of a new red squirrel from North Carolina, 75.
Hubbard, W. D., Further notes on the mammals of Northern Rhodesia and Portuguese East Africa, 294.
Huestis, R. R., An interesting anomaly in Peromyscus, 256.
Hybomys univitatus, 231.
hyena, 297.
Hypolagus edensis, 343.
vetus, 343

J

Jackson, R. W., Sorex fontinalis on the eastern shore of Maryland, 250.
Jewett, S. G., Thomomys bottae laticeps in Oregon, 80.
Jewett, S. G., and H. W. Dobyns, The Virginia opossum in Oregon, 351.

K

Kennard, F. H., A star-nosed mole's nest at Newton Centre, Massachusetts, 77.
Kistin, A. D., The mole clavicle, 305.

L

Lama huanacus, 170.
Lasionycteris noctivagans, 155.
Leggada musculoides, 231.
Lemniscomys striatus, 232.
Lepus annectens, 342.
campanius, 163.
europaeus, 152.
giganteus, 343.
macrocephalus, 343.
phaeonotus, 163.
primaevus, 344.
primigenius, 343.
struthopus, 246.
virginianus, 249.
zechi, 232.
Lewis, J. B., Opossum in captivity, 167.
Lophuromys sikapusi, 232.
Lutra canadensis, 156.
lynx, Canada, 158.
Lynx canadensis, 158.
floridanus, 84.
rufus, 150, 158, 247.

M

Macnamara, C., Beavers resume earlier work, 255.
Malcomys edwardsi, 232.
Marmota canadensis, 245.
monax, 80.
rufescens, 151, 158, 248.
marten, 206.
Martes pennanti, 149.
Martino, V. and E., A new souslik from Macedonia, 76.
Mastomys erythroleucus, 232.
Matthew, W. D., Preoccupied names, 171.
Menoceras cooki, 72.
Mephitis mephitis, 243.
minnesotae, 156.
nigra, 150, 247.
Merycochoerus magnus, 257.
merycoidodont, short-faced, 257.
Metahyrachyus, 73.
Microdipodops dickeyi, 299.
lucidus, 299.
megacephalus, 298.
Microsorex hoyi, 78, 154.
intervectus, 242.
Microtus chrotorrhinus, 244.
fontigenus, 243.
minor, 162.
nanus, 82.
pennsylvanicus, 162, 248.
Miller, G. S., Jr., Review of Coolidge's A revision of the genus Gorilla, 360; review of Yerkes' The great apes, 360.
mink, 143, 150, 156, 247, 353.
California, 351, 358.
eastern, 243.
Mohr, E., Misleading news regarding the wisent, 356.
mole, 305.
hairy-tailed, 246.
Missouri Valley, 154.
star-nosed, 77, 154, 241, 246.
Moore, A. W., Extra-uterine pregnancy in Peromyscus, 81; Some notes upon Utah mammals, 259.

Moore, R. D., Canis latrans lestes Merriam feeding on tadpoles and frogs, 255.
moose, Norwegian, 59.
mouse, 189.
Canadian white-footed 248.
Cooper's lemming, 161.
eastern harvest, 257.
eastern meadow, 162.
deer, 116.
Dulzura, 55.
dusky pocket, 160.
field, 248.
forest meadow, 243.
Goss lemming, 85.
harvest, 55, 116.
house, 84, 163, 216, 248.
Hudson Bay jumping, 244.
jumping, 249.
kangaroo, 298.
little upland, 162.
northern white-footed, 161.
Nova Scotia white-footed, 243.
oldfield, 213.
prairie jumping, 163.
prairie white-footed, 161.
red-backed, 116, 147, 162, 243, 248, 292.
Texas white-footed, 216.
white-footed, 352.
woodland jumping, 245.
Mus musculus, 84, 163, 216, 232, 248, 260.
muskrat, 152, 163, 244, 248.
Nevada, 359.
Mustela aestuarina, 352, 358.
allegheniensis, 221, 251, 252.
cicognanii, 156, 243, 247.
letifera, 156.
lutreola, 168.
madisonae, 168.
mink, 150, 247, 259.
minor, 168.
nivalis, 168.
olivacea, 84, 258.
spadix, 156.
vison, 243.
vulgaris, 168.
Myotis austroriparius, 204.
lucifugus, 155, 242, 247, 320.
septentrionalis, 155, 243.

N

Napaeozapus insignis, 245, 249.
Nelson, E. W., review of Burnham's The rim of mystery, 172.
Nelson, E. W., and E. A. Goldman, A new wolf from Mexico, 165; List of the pumas, with three described as new, 345.
Neotoma attwateri, 220.
floridana, 84.
macrotis, 52.
rubida, 259.
Nesolagus, 344.
Notiosorex crawfordi, 55.
Nycteris borealis, 155.
cinerea, 155.
Nycticeius humeralis, 204.
Nyctinomus cyanocephalus, 204.

O

Odocoileus borealis, 164, 247.
hemionus, 102.
macrourus, 102.
virginianus, 85.
Ondatra mergens, 359.
zibethica, 152, 163, 244, 248.
opossum, 167, 168, 250.
Virginia, 198, 351.
orang-utan, 37.
Oryctolagus, 343.
Oryzomys natator, 205.
otter, 156.

P

Palaeolagida, 340.
Palaeolagus, 340.
Palaeolestes, 171.
Panolax, 344.
Parascalops breweri, 246.
Pearse, A. S., Ecology of the ectoparasites of Nigerian rodents and insectivores, 229.
Pentalagus, 340.

Perognathus nevadensis, 299.
parvus, 299.
perniger, 160.
Peromyscus, 116.
abietorum, 243.
albifrons, 213.
aureolus, 259.
bairdii, 161.
fraterculus, 55.
gracilis, 248.
leucocephalus, 215.
leucopus, 259.
maniculatus, 256.
noveboracensis, 161, 352.
polionotus, 213.
sonoriensis, 81.
texanus, 216.
Phenacomys ungava, 81.
Pitymys parvulus, 258.
Pleuroceros asphaltense, 73.
porcupine, 142, 152, 163, 245, 249.
prairie-dog, white-tailed, 209.
Zuni, 260.
Praomys tullbergi, 232.
Procyon, 288.
lotor, 149, 156, 247, 259.
Prodiacodon, 171.
Pronolagus, 340.
Protoxerus nigeriae, 232.
puma, 345.

R

rabbit, brush, 55.
coast swamp, 315.
cottontail, 225.
eastern cottontail, 85.
European, 334.
jack, 83.
marsh, 315.
Minnesota snowshoe, 163.
snowshoe, 290.
swamp, 85.
water, 259.
white-tailed jack, 163.
raccoon, 149, 156, 247, 353.
rat, Attwater's wood, 216.
brown, 216.
cotton, 352.
rat, eastern cotton, 84.
Florida wood, 84.
house, 248.
Norway, 163.
rice, 205.
roof, 203.
Texas cotton, 216.
wood, 52.
Rattus alexandrinus, 203.
norvegicus, 163, 216, 248.
rattus, 232.
Raven, H. C., A case of matricide in the opossum, 168.
recent literature, 85, 172, 261, 360.
Redington, P. G., Policy of the U. S. Biological Survey in regard to predatory mammal control, 276.
reindeer, 59.
Reithrodontomys, 116.
humulis, 257.
longicaudus, 55.
merriami, 259.
Report of the J. A. Allen Memorial Committee, 93.
rhinoceros, 63.
Romerolagus, 340.
Rowley, J., Life history of the sea-lions on the California coast, 1.

S

Salvesen, S., The moose and red deer in Norway, 59.
Sanborn, C. C., Records of Dasypus kappleri and Dasypus patasae, 258.
Saunders, P. B., Microsorex hoyi in captivity, 78.
Saunders, W. E., Carnivorous habit of the European hare, 170.
Scalopus, 307.
machrinoides, 154.
Schoonmaker, W. J., Notes on some mammals of Allegany State Park, 246; Weights of some New York mammals, 149.
Sciurus abieticola, 75.
carolinensis, 84.
gymnicus, 245.
hypophaeus, 159.

Sciurus leucotis, 151, 248.
loquax, 151, 248.
minnesota, 159.
rufiventer, 159, 259.
sea-lion, California, 1.
Steller's, 1.
sheep, 83.
Sherman, A. R., Summer outings of bats during fourteen seasons, 319.
Sherman, H. B., Notes on some Florida mammals, 258.
shrew, 78.
black-backed, 154.
Gaspé, 242.
gray, 55.
Hoy's pigmy, 154.
least, 250.
masked, 154, 241.
northern smoky, 242.
Nova Scotia water, 242.
pigmy, 242.
short-tailed, 125, 155, 242, 247.
smoky, 247.
water, 154.
Sigmodon hispidus, 84, 352.
texianus, 216, 259.
Skinner, M. P., White-tailed deer formerly in the Yellowstone Park, 101.
skunk, 148, 150, 247, 291.
Alleghenian spotted, 84.
Canada, 243.
Minnesota, 156.
spotted, 156.
Smilodon, 286.
Snyder, L. L., Cryptotis parva, a new shrew for the Canadian list, 79; Records for Phenacomys ungava in Ontario, 81.
Sorex cinereus, 154, 241.
fontinalis, 250.
fumeus, 247.
gaspensis, 242.
gloveralleni, 242.
hydrobadistes, 154.
laricorum, 154.
umbrosus, 242.
souslik, 76.
Spilogale interrupta, 156.
putorius, 84.
squirrel, Bangs' red, 245.
flying, 248.
Franklin's ground, 158.
gray, 151, 248.
ground, 76.
Hudson Bay flying, 246.
little flying, 159.
Mearns' flying, 160.
Minnesota gray, 159.
Minnesota red, 159.
red, 75, 142, 151, 248.
rock, 168.
southern gray, 84.
striped ground, 158.
western fox, 159.
Stehlinella, 171.
Stehlinius, 171.
Stockard, A. H., Observations on reproduction in the white-tailed prairie-dog (Cynomys leucurus), 209.
Stock, C., A census of the pleistocene mammals of Rancho La Brea, based on the collections of the Los Angeles Museum, 281.
stordyr, 59.
Strecker, J. K., Notes on the Texas cotton and Attwater wood rats in Texas, 216.
Strecker, J. K., and W. J. Williams, Mammal notes from Sulphur River, Bowie County, Texas, 259.
Subhyracodon metalophum, 63.
occidentale, 63.
tridactylum, 66.
Sumner, F. B., and J. J. Karol, Notes on the burrowing habits of Peromyscus polionotus, 213.
Sutton, G. M., The Alleghenian least weasel in Pennsylvania, 252.
Svihla, A., Life history notes on Sigmodon hispidus hispidus, 352.
Svihla, R. D., Habits of Sylvilagus aquaticus littoralis, 315.
Sylvilagus, 343.
alacer, 259.
aquaticus, 85, 259.

Sylvilagus baileyi, 227.
cinerascens, 55.
littoralis, 315.
mallurus, 85.
mearnsii, 164, 227, 249.
neomexicanus, 227.
similis, 227.
Synaptomys, 85.
cooperi, 161.

T

Talpa europaea, 309.
Tamias fisheri, 151.
griseus, 159, 245.
lysteri, 248.
striatus, 84.
tapir, 281.
Taterillus angelus, 232.
Taterona kempi, 232.
Taxidea taxus, 156.
Thomomys aureus, 259.
helleri, 80.
laticeps, 80.
Thryonomys swinderianus, 232.
Townsend, C. W., The white whale at Ipswich, Massachusetts, 171.

U

Uranomys foxi, 232.
Urocyon californicus, 286.
cinereoargenteus, 150.
ocythous, 157.
Uropsilus, 313.
Ursus, 286.

V

Van Tyne, J., Notes on the habits of Cyclopes dorsalis, 314.
vole, dwarf, 82.
rock, 243.
Vulpes fulva, 150, 247.
regalis, 157.

W

Walker, E. P., Evidence on the gestation period of martens, 206.
wapiti, 164.
Warren, E. R., An albino field mouse, 82.
wart-hog, 294.
weasel, 147.
Alabama, 84, 258.
Bonaparte's, 156, 243.
least, 221, 251, 252.
Minnesota long-tailed, 156.
small brown, 247.
whale, Baird's beaked, 356.
white, 171.
wildcat, 150, 158.
wisent, 356.
wolf, dire, 282.
Mexican, 165.
timber, 158.
woodchuck, 80, 151, 248.
Canada, 245.
rufescent, 158.
Wood, H. E., 2nd, American oligocene rhinoceroses—a postscript, 63.
Wood-Jones, F., The cranial characters of the Papuan dog, 329.
Wright, A. H., The word "caribou," 353.

Z

Zalophus californianus, 1.
Zapus campestris, 163.
hudsonius, 244.